




TO Docking DB





2010/04/27

P.27 Add SIM DB add SIM_CN2

2010/06/01

P.27 SIM_CN2 change from 8pin to 10pin,add signal SIM_SW_ON#&SIM HOLDER#

P.27 For MOR request add capcitor SIM_C1~SIM_C4

2010/06/08

P.01 SIM_CN2 change 10pin to 12pin

P.01 Add SIM_SW1 for MOR request

2010/06/10

P.01 Change SIM_SW1 to 19-MPU1018-1001

2010/06/11

P.01 Add SIM_R2,SIM_R3 then C_LAY with SIM_L1 for RF request

2010/06/14

P.01 For MOR request add SIM_D3

2010/06/15

P.01 SIM CN change to 1N-0008004-FKG0

P.01 SIM_CN2 pin11 change from SIM HOLDER# to GND

2010/06/16

P.01 SIM_SW1 ME change from 19-MPU1018-1001 to 19-SPVM110-1000

2010/06/22

P.01 Follow ME connector list SIM_CN2 change to 1N-0012007-FKT0

2010/06/25

P.01 Follow MOR request delete SIM_L1,SIM_R2,SIM_R3,SIM_D3

P.01 Follow MOR request change SIM_CN1 to 1N-000600G-FKG0

2010/06/28

P.01 SIM_CN2 change 12pin to 10pin

2010/06/29

P.01 W_CN9 follow ME suggestion change to 1N-0010001-F0T0

2010/07/01

P.01 For RF request change SIM_CN2 pin define

2010/07/02

P.01 For MOR request delete SIM_HODER# signal

P.01 For MOR add SIM_D3

2010/07/10

P.02 Add SIM DB hole

2010/07/12

P.01 For MOR request change SIM_CN1 pin define

2010/07/14

P.01 SIM_CN1 change pin define

EVT2

2010/08/23

P.01 [DB CN] For ME request SIM_CN2 change from 1N-0010007-FXG0 to 1N-0010001-F0T0

2010/08/26

P.02 [Hole] For ME change delete SIM_H3

DVT

2010/09/18

P.01 [DB CN] For ME request SIM_CN2 change from 1N-0010001-F0T0 to 1N-0010009-FXG0

2010/09/21

P.01 [DB CN] For RF request add SIM_R2 for test

2010/10/13

P.01 [DB CN] For ME request SIM_CN2 change from 1N-0010009-FXG0 to 1N-001000A-FXG0

FOXCONN		HON HAI Precision Ind. Co., Ltd. CCPBG - R&D Division	
Title History SIM			
Size A3	Document Number V030		Rev SA
Date:	Wednesday, October 13, 2010	Sheet 3 of 3	